SAFETY DATA SHEET CHARBONELL 12 HR GOLD SIZE LEAD FREE (AUSTRALIA)

According to the National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)]

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	CHARBONELL 12 HR GOLD SIZE LEAD FREE (AUSTRALIA)	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Adhesive for gilding	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of the safety data sheet		
Supplier	Jasco Pty Ltd. 1-5 Commercial Road, Kingsgrove NSW 2208 02 9807 1555	
Contact person	Regulatory Manager	
Manufacturer	ColArt International SA 5 Rue Rene Panhard Z.I .Nord 72021 Le Mans Cedex 2 +33 2 43 83 83 00	
1.4. Emergency telephone number		
Emergency telephone	Australian poisons centre - 13 11 26	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture Classification		

Physical hazards	Flam. Liq. 3 - H226
Health hazards	STOT SE 3 - H336 STOT RE 1 - H372
Environmental hazards	Aquatic Chronic 3 - H412

Danger

Classification (67/548/EEC or R10,R52/53,R66,R67. 1999/45/EC)

2.2. Label elements

Pictogram



Signal word

Hazard statements

H226 Flammable liquid and vapour.H336 May cause drowsiness or dizziness.H372 Causes damage to organs through prolonged or repeated exposure.H412 Harmful to aquatic life with long lasting effects.

Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapour/spray. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P314 Get medical advice/attention if you feel unwell. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with national regulations.
Supplemental label information	EUH066 Repeated exposure may cause skin dryness or cracking.
Contains	Hydrocarbons, C9-C11, < 2% aromatics, Hydrocarbons, C9-C12, 2-25% aromatics

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hydrocarbons, C9-C11, < 2% aromatics			10-30%	,
CAS number: 64742-48-9	EC number: 919-857-	5	REACH registration number: 01-	
			2119463258-33-xxxx	
Classification	C	Negatification (67/54	9/EEC or 1000/45/EC)	
Flam. Liq. 3 - H226	Classification (67/548/EEC or 1999/45/EC) Xn;R65. R10,R66,R67.			
Asp. Tox. 1 - H304	~	(1,100.100,100,10	07.	
STOT SE 3 - H336				
Hydrocarbons, C9-C12, 2-25% aromatic	s		10-22%	,
CAS number: 64742-82-1	EC number: 919-446-	0	REACH registration number: 01-	
			2119458049-33-xxxx	
		•	8/EEC or 1999/45/EC)	
Flam. Liq. 3 - H226 STOT SE 3 - H336	X	(n;R65. N;R51/53. I	R10,R66,R67.	
STOT SE 3 - H330 STOT RE 1 - H372				
Asp. Tox. 1 - H304				
Aquatic Chronic 2 - H411				
2, Ethylhexanic acid, zirconium salt			<1%	,
CAS number: 22464-99-9	EC number: 245-018-	1		
Classification	c	lassification (67/54	8/EEC or 1999/45/EC)	
Repr. 2 - H361d		(i;R38.		
The Full Text for all R-Phrases and Haza	rd Statements are Displ	ayed in Section 16.		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.		
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.		
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention.		
Skin contact	Rinse with water.		
Eye contact	Rinse with water. Get medical attention if any discomfort continues.		
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.		
4.2. Most important symptoms and effects, both acute and delayed			
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.		
Ingestion	No specific symptoms known.		
Skin contact	Repeated exposure may cause skin dryness or cracking.		
Eye contact	No specific symptoms known. May be slightly irritating to eyes.		
4.3. Indication of any immediat	te medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically.		
SECTION 5: Firefighting meas	ures		
5.1. Extinguishing media			
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
5.2. Special hazards arising from the substance or mixture			
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.		
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.		
5.3. Advice for firefighters			

Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsWear protective clothing as described in Section 8 of this safety data sheet. No action shall be
taken without appropriate training or involving any personal risk. Evacuate area. Provide
adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage.
Promptly remove any clothing that becomes contaminated. Avoid inhalation of dust and
vapours. Use suitable respiratory protection if ventilation is inadequate.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills
	immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No
	smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to
	enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels
	and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste
	disposal container and seal securely. Flush contaminated area with plenty of water. Wash
	thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into
	drains. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Suspected of damaging the unborn child. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities Storage precautions Store locked up. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Storage class Flammable liquid storage. 7.3. Specific end use(s) Specific end use(s) The identified uses for this product are detailed in Section 1.2. SECTION 8: Exposure Controls/personal protection 8.1. Control parameters 8.2. Exposure controls Protective equipment Appropriate engineering Provide adequate ventilation. controls Eye/face protection Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Hand protection No specific hand protection recommended. Avoid contact with skin. Other skin and body Wear appropriate clothing to prevent any possibility of liquid contact and repeated or protection prolonged vapour contact. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Hygiene measures Wash contaminated clothing before reuse. **Respiratory protection** No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn. Environmental exposure Keep container tightly sealed when not in use. Avoid release to the environment. controls

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless.
Odour	Mild (or faint).
рН	Not applicable.
Initial boiling point and range	186-216°C @ 760 mm Hg
Flash point	38°C CC (Closed cup).
Upper/lower flammability or explosive limits	: 0.8
Vapour density	>1
Relative density	0.7-0.8 @ 15°C
Solubility(ies)	Insoluble in water

Auto-ignition temperature	240°C
Viscosity	133. cP @ 25°C
9.2. Other information	
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.
10.5. Incompatible materials	
Materials to avoid	Oxidising materials. Acids - oxidising.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	ical effects
Acute toxicity - oral Notes (oral LD₅o)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.

Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Suspected of damaging the unborn child.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	STOT SE 3 - H336 May cause drowsiness or dizziness.	
Target organs	Central nervous system	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	STOT RE 1 - H372 Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	Avoid contact during pregnancy/while nursing. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.	
Ingestion	No specific symptoms known.	
Skin contact	Repeated exposure may cause skin dryness or cracking.	
Eye contact	No specific symptoms known.	
Route of entry	Ingestion Inhalation Skin and/or eye contact	
Target organs	Central nervous system	
SECTION 12: Ecological Information		
Ecotoxicity	Dangerous for the environment. May cause long-term adverse effects in the aquatic environment.	
12.1. Toxicity		
Toxicity	Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.	

Acute toxicity - fish	Not determined.
Acute toxicity - aquatic invertebrates	Not determined.
Acute toxicity - aquatic plants	Not determined.
Acute toxicity -	Not determined.

microorganisms

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential	No data available on bioaccumulation.	
12.4. Mobility in soil		
Mobility	No data available.	
12.5. Results of PBT and vPvE	3 assessment	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u>s</u>	
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Waste class	08 01 11* - waste paint and varnish containing organic solvents or other dangerous substances	
SECTION 14: Transport inform	nation	
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.	
14.1. UN number		
UN No. (ADR/RID)	1263	
UN No. (IMDG)	1263	
UN No. (ICAO)	1263	
14.2. UN proper shipping name	e	
Proper shipping name (ADR/RID)	PAINT RELATED MATERIAL	
Proper shipping name (IMDG)	PAINT RELATED MATERIAL	
Proper shipping name (ICAO)	PAINT RELATED MATERIAL	
Proper shipping name (ADN)	PAINT RELATED MATERIAL	
14.3. Transport hazard class(es)		
ADR/RID class	3	
IMDG class	3	
ICAO class/division	3	
Transport labels		



14.4. Packing group

ADR/RID packing group	Ш
IMDG packing group	III
ICAO packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

Water hazard classification

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

2

SECTION 16: Other information

General information	EMERGENCY CONTACTS	
	Jasco Pty Ltd	02 9807 1555
	Jasco Pty Ltd - Emergency number	13 11 26
	Police and Fire Brigade	000
	Poisons information centre	13 11 26

Pleased read instructions / label before using product.

This SDS is prepared in accordance with the Safe Work Australia document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]

Classification procedures according to Regulation (EC) 1272/2008	STOT RE 1 - H372: STOT SE 3 - H336: : Calculation method. Aquatic Chronic 3 - H412: : Calculation method. Flam. Liq. 3 - H226: : Expert judgement.
Training advice	Read and follow manufacturer's recommendations.
Revision date	09/12/2015
Revision	14
Supersedes date	09/09/2015
SDS number	23326
Risk phrases in full	 R10 Flammable. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed. R66 Repeated exposure may cause skin dryness or cracking. R67 Vapours may cause drowsiness and dizziness.
Hazard statements in full	 H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child if swallowed. H372 Causes damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.