

Jasart Byron Watercolour Pan Tin Sets

Jasco Pty Limited

Chemwatch Hazard Alert Code: 3

Chemwatch: 5454-27

Issue Date: 19/02/2021

Version No: 2.1.1.1

Print Date: 11/03/2021

Safety Data Sheet according to WHS and ADG requirements

L.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Jasart Byron Watercolour Pan Tin Sets
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	<p>Each Jasart Byron Watercolour Pan Set include watercolour pans paint and a paint brush in a portable tin with a lid that can be used as a mixing palette.</p> <p>SDS are intended for use in the workplace. For domestic-use products, refer to consumer labels.</p> <p>Use according to manufacturer's directions.</p>
---------------------------------	--

Details of the supplier of the safety data sheet

Registered company name	Jasco Pty Limited
Address	1-5 Commercial Road Kingsgrove NSW 2208 Australia
Telephone	+61 2 9807 1555
Fax	Not Available
Website	www.jasco.com.au
Email	sales@jasco.com.au

Emergency telephone number


Association / Organisation	Australian Poisons Centre
Emergency telephone numbers	13 11 26 (24/7)
Other emergency telephone numbers	Not Available

SECTION 2 Hazards identification

Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification [1]	Eye Irritation Category 2A, Acute Aquatic Hazard Category 3
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)	
----------------------------	---

Jasart Byron Watercolour Pan Tin Sets

Signal word **Warning****Hazard statement(s)**

H319	Causes serious eye irritation.
H402	Harmful to aquatic life.

Precautionary statement(s) Prevention

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
-------------	--

SECTION 3 Composition / information on ingredients**Substances**

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
471-34-1	>60	<u>calcium carbonate</u>
9004-53-9	10-20	<u>dextrins</u>
51274-00-1	1-15	<u>C.I. Pigment Yellow 42</u>
57455-37-5	1-15	<u>C.I. Pigment Blue 29</u>
13463-67-7	1-<15	<u>C.I. Pigment White 6</u>
1333-86-4	1-<10	<u>C.I. Pigment Black 7</u>
1309-37-1	1-<10	<u>C.I. Pigment Red 101</u>
2512-29-0	1-<5	<u>C.I. Pigment Yellow 1</u>
2786-76-7	1-<5	<u>C.I. Pigment Red 170</u>
50-70-4	1-<3	<u>D-sorbitol</u>
3520-72-7	1-<3	<u>C.I. Pigment Orange 13</u>
1328-53-6	1-<3	<u>C.I. Pigment Green 7</u>
147-14-8	1-<3	<u>C.I. Pigment Blue 15</u>
7732-18-5	1-<5	<u>water</u>

SECTION 4 First aid measures**Description of first aid measures**

Eye Contact	<p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> ▶ Wash out immediately with fresh running water. ▶ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. ▶ Seek medical attention without delay; if pain persists or recurs seek medical attention. ▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	<p>If skin contact occurs:</p> <ul style="list-style-type: none"> ▶ Immediately remove all contaminated clothing, including footwear. ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.

Continued...

Jasart Byron Watercolour Pan Tin Sets

Inhalation	<ul style="list-style-type: none"> ▶ If fumes, aerosols or combustion products are inhaled remove from contaminated area. ▶ Other measures are usually unnecessary.
Ingestion	<ul style="list-style-type: none"> ▶ Immediately give a glass of water. ▶ First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- ▶ Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
-----------------------------	--

Advice for firefighters

Fire Fighting	<ul style="list-style-type: none"> ▶ Alert Fire Brigade and tell them location and nature of hazard. ▶ Wear breathing apparatus plus protective gloves in the event of a fire. ▶ Prevent, by any means available, spillage from entering drains or water courses. ▶ Use fire fighting procedures suitable for surrounding area. ▶ DO NOT approach containers suspected to be hot. ▶ Cool fire exposed containers with water spray from a protected location. ▶ If safe to do so, remove containers from path of fire. ▶ Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	<p>For starch/ air mixtures Starch is a class St1 dust at normal moisture level: Minimum Ignition Temperature (MIE): >30 mJ at normal moisture level Pmax 9.5 Bar Kst 170 bar.m/s Layer Ignition Temperature: >450 deg C Autoignition Temperature: 170 deg C (above this temperature starch will self-heat)</p> <p>Dust Explosion Hazard Class 1</p> <p>Dusts fall into one of three Kst* classes. Class 1 dusts; Kst 1-200 m3/sec; Class 2 dusts; 201-299 m3/sec. Class 3 dusts; Kst 300 or more. Most agricultural dusts (grains, flour etc.) are Class 1; pharmaceuticals and other speciality chemicals are typically Class 1 or 2; most unoxidised metallic dusts are Class 3. The higher the Kst, the more energetically the dust will burn and the greater is the explosion risk and the greater is the speed of the explosion..</p> <p>Standard test conditions, used to derive the Kst, are representative of industrial conditions, but do not represent and absolute worst case. Increased levels of turbulence increase the speed of the explosion dramatically.</p> <p>* Kst - a normalised expression of the burning dust pressure rise rate over time.</p> <p>Dusts with Minimum Ignition Energies (MIEs) ranging between 20 and 100 mJ may be sensitive to ignition. They require that:</p> <ul style="list-style-type: none"> · plant is grounded · personnel might also need to be grounded · the use of high resistivity materials (such as plastics) should be restricted or avoided during handling or in packaging <p>The majority of ignition accidents occur within or below this range.</p> <p>The MIE of a dust/air mix depends on the particle size the water content and the temperature of the dust. The finer and the dryer the dust the lower the MIE. Higher temperatures cause lower MIE and an increased risk of dust explosion.</p> <p>Quoted values for MIE generally are only representative. Characteristics may change depending upon the process and conditions of use or any changes made to the dust during use, including further grinding or mixing with other products. In order to obtain more specific data for dust, as used, it is recommended that further characterisation testing is performed.</p> <p>carbon dioxide (CO2) nitrogen oxides (NOx) silicon dioxide (SiO2) hydrogen sulfide (H2S) metal oxides other pyrolysis products typical of burning organic material. May emit corrosive fumes. Heating calcium carbonate at high temperatures(825 C.) causes decomposition, releases carbon dioxide gas and leaves a residue of alkaline lime</p>
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	<ul style="list-style-type: none"> ▶ Clean up all spills immediately. ▶ Avoid breathing vapours and contact with skin and eyes. ▶ Control personal contact with the substance, by using protective equipment. ▶ Contain and absorb spill with sand, earth, inert material or vermiculite. ▶ Wipe up. ▶ Place in a suitable, labelled container for waste disposal.
Major Spills	<p>Moderate hazard.</p> <ul style="list-style-type: none"> ▶ Clear area of personnel and move upwind. ▶ Alert Fire Brigade and tell them location and nature of hazard. ▶ Wear breathing apparatus plus protective gloves. ▶ Prevent, by any means available, spillage from entering drains or water course. ▶ Stop leak if safe to do so. ▶ Contain spill with sand, earth or vermiculite. ▶ Collect recoverable product into labelled containers for recycling. ▶ Neutralise/decontaminate residue (see Section 13 for specific agent). ▶ Collect solid residues and seal in labelled drums for disposal. ▶ Wash area and prevent runoff into drains. ▶ After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using. ▶ If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling	<ul style="list-style-type: none"> ▶ Limit all unnecessary personal contact. ▶ Wear protective clothing when risk of exposure occurs. ▶ Use in a well-ventilated area. ▶ Avoid contact with incompatible materials. ▶ When handling, DO NOT eat, drink or smoke. ▶ Keep containers securely sealed when not in use. ▶ Avoid physical damage to containers. ▶ Always wash hands with soap and water after handling. ▶ Work clothes should be laundered separately. ▶ Use good occupational work practice. ▶ Observe manufacturer's storage and handling recommendations contained within this SDS. ▶ Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
Other information	<ul style="list-style-type: none"> ▶ Store in original containers. ▶ Keep containers securely sealed. ▶ No smoking, naked lights or ignition sources. ▶ Store in a cool, dry, well-ventilated area. ▶ Store away from incompatible materials and foodstuff containers. ▶ Protect containers against physical damage and check regularly for leaks. ▶ Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	<ul style="list-style-type: none"> ▶ Polyethylene or polypropylene container. ▶ Packing as recommended by manufacturer. ▶ Check all containers are clearly labelled and free from leaks.
Storage incompatibility	<ul style="list-style-type: none"> ▶ Avoid reaction with oxidising agents, bases and strong reducing agents. ▶ Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.

SECTION 8 Exposure controls / personal protection

Control parameters

Jasart Byron Watercolour Pan Tin Sets

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	calcium carbonate	Calcium carbonate	10 mg/m ³	Not Available	Not Available	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	C.I. Pigment White 6	Titanium dioxide	10 mg/m ³	Not Available	Not Available	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	C.I. Pigment Black 7	Carbon black	3 mg/m ³	Not Available	Not Available	Not Available
Australia Exposure Standards	C.I. Pigment Red 101	Iron oxide fume (Fe ₂ O ₃) (as Fe)	5 mg/m ³	Not Available	Not Available	Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
calcium carbonate	45 mg/m ³	210 mg/m ³	1,300 mg/m ³
C.I. Pigment White 6	30 mg/m ³	330 mg/m ³	2,000 mg/m ³
C.I. Pigment Black 7	9 mg/m ³	99 mg/m ³	590 mg/m ³
C.I. Pigment Red 101	15 mg/m ³	360 mg/m ³	2,200 mg/m ³

Ingredient	Original IDLH	Revised IDLH
calcium carbonate	Not Available	Not Available
dextrins	Not Available	Not Available
C.I. Pigment Yellow 42	Not Available	Not Available
C.I. Pigment Blue 29	Not Available	Not Available
C.I. Pigment White 6	5,000 mg/m ³	Not Available
C.I. Pigment Black 7	1,750 mg/m ³	Not Available
C.I. Pigment Red 101	2,500 mg/m ³	Not Available
C.I. Pigment Yellow 1	Not Available	Not Available
C.I. Pigment Red 170	Not Available	Not Available
D-sorbitol	Not Available	Not Available
C.I. Pigment Orange 13	Not Available	Not Available
C.I. Pigment Green 7	Not Available	Not Available
C.I. Pigment Blue 15	Not Available	Not Available
water	Not Available	Not Available

Occupational Exposure Banding


Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
C.I. Pigment Yellow 42	E	≤ 0.01 mg/m ³
C.I. Pigment Yellow 1	E	≤ 0.01 mg/m ³
C.I. Pigment Orange 13	C	> 0.1 to ≤ milligrams per cubic meter of air (mg/m ³)

Notes:

Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.

MATERIAL DATA

Exposure controls

Appropriate engineering controls	General exhaust is adequate under normal operating conditions.
Personal protection	

Jasart Byron Watercolour Pan Tin Sets

Eye and face protection	No special equipment for minor exposure i.e. when handling small quantities. OTHERWISE: <ul style="list-style-type: none"> ▸ Safety glasses with side shields. ▸ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]
Skin protection	See Hand protection below
Hands/feet protection	No special equipment needed when handling small quantities. OTHERWISE: Wear general protective gloves, e.g. light weight rubber gloves.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities. OTHERWISE: <ul style="list-style-type: none"> ▸ Overalls. ▸ Barrier cream. ▸ Eyewash unit.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the **computer-generated** selection:

Jasart Byron Watercolour Pan Tin Sets

Material	CPI
BUTYL	A
NEOPRENE	A
VITON	A
NATURAL RUBBER	C
PVA	C

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS	-	A-PAPR-AUS / Class 1
up to 50 x ES	-	A-AUS / Class 1	-
up to 100 x ES	-	A-2	A-PAPR-2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO₂), G = Agricultural chemicals, K = Ammonia(NH₃), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Various coloured liquid.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available

Continued...

Jasart Byron Watercolour Pan Tin Sets

Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Not Available	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Applicable

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	<ul style="list-style-type: none"> ▶ Unstable in the presence of incompatible materials. ▶ Product is considered stable. ▶ Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	<p>The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.</p> <p>Not normally a hazard due to non-volatile nature of product</p> <p>Copper poisoning following exposure to copper dusts and fume may result in headache, cold sweat and weak pulse. Capillary, kidney, liver and brain damage are the longer term manifestations of such poisoning. Inhalation of freshly formed metal oxide particles sized below 1.5 microns and generally between 0.02 to 0.05 microns may result in "metal fume fever". Symptoms may be delayed for up to 12 hours and begin with the sudden onset of thirst, and a sweet, metallic or foul taste in the mouth. Other symptoms include upper respiratory tract irritation accompanied by coughing and a dryness of the mucous membranes, lassitude and a generalised feeling of malaise. Mild to severe headache, nausea, occasional vomiting, fever or chills, exaggerated mental activity, profuse sweating, diarrhoea, excessive urination and prostration may also occur. Tolerance to the fumes develops rapidly, but is quickly lost. All symptoms usually subside within 24-36 hours following removal from exposure.</p>
Ingestion	<p>The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.</p>
Skin Contact	<p>Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.</p> <p>Open cuts, abraded or irritated skin should not be exposed to this material</p> <p>Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.</p> <p>The material produces moderate skin irritation; evidence exists, or practical experience predicts, that the material either</p> <ul style="list-style-type: none"> ▶ produces moderate inflammation of the skin in a substantial number of individuals following direct contact, and/or ▶ produces significant, but moderate, inflammation when applied to the healthy intact skin of animals (for up to four hours), such inflammation being present twenty-four hours or more after the end of the exposure period. <p>Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (nonallergic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may progress to</p>

	<p>blistering (vesiculation), scaling and thickening of the epidermis. At the microscopic level there may be intercellular oedema of the spongy layer of the skin (spongiosis) and intracellular oedema of the epidermis.</p>
Eye	<p>Evidence exists, or practical experience predicts, that the material may cause severe eye irritation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. Eye contact may cause significant inflammation with pain. Corneal injury may occur; permanent impairment of vision may result unless treatment is prompt and adequate. Repeated or prolonged exposure to irritants may cause inflammation characterised by a temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur.</p>
Chronic	<p>Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.</p> <p>Some workers may develop chronic occupational dermatitis (generally mild) through the handling of starch products.</p> <p>When starch is used as a lubricant in surgical gloves, small amounts, released into the patient during the course of surgery, have resulted in granulomas and peritonitis.</p> <p>Many azo dyes have been found to be carcinogenic in laboratory animals, affecting the liver, urinary bladder and intestines. Specific toxicity effects in humans have not been established but some dyes are known to be mutagenic.</p> <p>The simplest azo dyes, which raise concern, have an exocyclic amino-group that is the key to any carcinogenicity for it is this group which undergoes biochemical N-oxidation and further reaction to reactive electrophiles. The DNA adducts formed by covalent binding through activated nitrogen have been identified. However not all azo compounds possess this activity and delicate alterations to structure vary the potential of carcinogenicity / acid, reduces or eliminates the effect. Complex azo dyes consisting of more than one azo (N=N) linkage may be metabolised to produce complexed carcinogenic aromatic amines such as benzidine</p> <p>Benzidine and its metabolic derivatives have been detected in the urine of workers exposed to Direct azo dyes. An epidemiological study of silk dyers and painters with multiple exposures to benzidine based and other dyes indicate a strong association with bladder cancer.</p> <p>Most organic azo dyes are potential skin sensitisers, the most important of which are para-phenylenediamine and its analogs. Water soluble azo dyes are more likely to cause clinical sensitisation than insoluble dyes. In addition to allergic eczematous contact dermatitis, color developing solutions have caused lichen planus like eruptions</p> <p>Pure calcium carbonate does not produce pneumoconiosis probably being eliminated from the lungs slowly by solution.</p> <p>As mined, unsterilised particulates can carry bacteria into the air passages and lungs, producing infection and bronchitis.</p> <p>High blood concentrations of calcium ion may give rise to vasodilation and depress cardiac function leading to hypotension and syncope. Calcium ions enhance the effects of digitalis on the heart and may precipitate digitalis intoxication. Calcium salts also reduce the absorption of tetracyclines</p> <p>In neonates calcification of soft-tissue has been observed following therapeutic administration.</p> <p>Some studies show that large quantities of calcium intake can cause hypercalcemia, which can in turn lead to renal failure. Renal failure can occur within hours or days or, alternatively, settles gradually, evolving over several years until it reaches terminal stages. Similarly, acute renal failure can also develop into chronic forms of the disease.</p> <p>Hypercalcaemia conditions can be associated with normal or reduced calcium serum levels, as the body tends to maintain a balanced metabolism of the mineral, known as the compensation phase. When there is a slight increase in the concentration of ions in the blood, calcium excretion markedly increases, while intestinal absorption decreases. After kidney damage has set in, a loss of calcium may occur, thereby decreasing the serum concentration.</p> <p>Serum protein levels may decrease as a result of proteinuria in cases of renal complications. Proteinuria is an indicator of kidney disease and represents an independent risk factor for the progression of such a condition. Increased serum creatinine levels may represent an important parameter, given that kidney diseases are associated with increased serum creatinine levels. When renal pathology occurs, a progressive loss of glomerular filtration begins, resulting in increased plasma creatinine concentrations. During the course of kidney failure, discrete, but constant, increments in plasma creatinine levels occur.</p> <p>Renal disease with albuminuria may also be the cause of hypoalbuminemia in patients with liver disease. In cases of established liver damage, increased calcium urinary excretion may occur. Therefore, a similar increase may cause the decline in serum calcium levels in the current study.</p> <p>When administered in the diet, 3,3'-dichlorobenzidine induced hepatomas in male mice, increased the incidences of granulocytic leukemia and Zymbal gland carcinomas in male rats and mammary adenocarcinomas in rats of both sexes, induced transitional cell carcinomas of the urinary bladder in hamsters and female dogs and hepatocellular carcinomas in female dogs.</p> <p>Transplacental exposure increased the incidences of lymphoid leukemia in mice. In three retrospective epidemiological studies, no urinary bladder tumors were reported in men occupationally exposed to 3,3'-dichlorobenzidine</p> <p>Chronic excessive iron exposure has been associated with haemosiderosis and consequent possible damage to the liver and pancreas. Haemosiderin is a golden-brown insoluble protein produced by phagocytic digestion of haematin (an iron-based pigment). Haemosiderin is found in most tissues, especially in the liver, in the form of granules. Other sites of haemosiderin deposition include the pancreas and skin. A related condition, haemochromatosis, which involves a disorder of metabolism of these deposits, may produce cirrhosis of the liver, diabetes, and bronze pigmentation of the skin - heart failure may eventually occur.</p> <p>Such exposure may also produce conjunctivitis, choroiditis, retinitis (both inflammatory conditions involving the eye) and siderosis of tissues if iron remains in these tissues. Siderosis is a form of pneumoconiosis produced by iron dusts. Siderosis also includes discoloration of organs, excess circulating iron and degeneration of the retina, lens and uvea as a result of the deposition of intraocular iron. Siderosis might also involve the lungs - involvement rarely develops before ten years of regular exposure. Often there is an accompanying inflammatory reaction of the bronchi. Permanent scarring of the lungs does not normally occur.</p> <p>High levels of iron may raise the risk of cancer. This concern stems from the theory that iron causes oxidative damage to tissues and organs by generating highly reactive chemicals, called free radicals, which subsequently react with DNA. Cells may be disrupted and may become cancerous. People whose genetic disposition prevents them from keeping tight control over iron (e.g. those with the inherited disorder, haemochromatosis) may be at increased risk.</p> <p>Iron overload in men may lead to diabetes, arthritis, liver cancer, heart irregularities and problems with other organs as iron builds up.</p> <p>[K. Schmidt, New Scientist, No. 1919 pp.11-12, 2nd April, 1994]</p>

Jasart Byron Watercolour Pan Tin Sets

On the basis, primarily, of animal experiments, concern has been expressed by at least one classification body that the material may produce carcinogenic or mutagenic effects; in respect of the available information, however, there presently exists inadequate data for making a satisfactory assessment.

Jasart Byron Watercolour Pan Tin Sets	TOXICITY	IRRITATION
	Not Available	Not Available
calcium carbonate	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (rabbit): 0.75 mg/24h - SEVERE
	Inhalation(Rat) LC50; >3 mg/l4 ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
	Oral(Rat) LD50; >2000 mg/kg ^[1]	Skin (rabbit): 500 mg/24h-moderate
		Skin: no adverse effect observed (not irritating) ^[1]
dextrins	TOXICITY	IRRITATION
	Oral(Rat) LD50; >2000 mg/kg ^[2]	Not Available
C.I. Pigment Yellow 42	TOXICITY	IRRITATION
	Oral(Rat) LD50; >5000 mg/kg ^[2]	Not Available
C.I. Pigment Blue 29	TOXICITY	IRRITATION
	Oral(Rat) LD50; >10000 mg/kg ^[2]	Not Available
C.I. Pigment White 6	TOXICITY	IRRITATION
	dermal (hamster) LD50: >=10000 mg/kg ^[2]	Eye: no adverse effect observed (not irritating) ^[1]
	Inhalation(Rat) LC50; >2.28 mg/l4 ^[1]	Skin (rabbit)
C.I. Pigment Black 7	Oral(Rat) LD50; >=2000 mg/kg ^[1]	Skin: no adverse effect observed (not irritating) ^[1]
	TOXICITY	IRRITATION
	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
C.I. Pigment Red 101	Oral(Rat) LD50; >8000 mg/kg ^[1]	Skin: no adverse effect observed (not irritating) ^[1]
	TOXICITY	IRRITATION
C.I. Pigment Yellow 1	Oral(Rat) LD50; >0.926 mg/kg ^[1]	Not Available
	TOXICITY	IRRITATION
C.I. Pigment Red 170	dermal (rat) LD50: >2000 mg/kg ^[1]	Non-irritating/non-sensitising
	Oral(Rat) LD50; >2000 mg/kg ^[1]	
	TOXICITY	IRRITATION
D-sorbitol	dermal (rat) LD50: >2000 mg/kg ^[1]	Not Available
	Inhalation(Rat) LC50; >1.58 mg/L4 ^[1]	
	Oral(Rat) LD50; >2000 mg/kg ^[1]	
C.I. Pigment Orange 13	TOXICITY	IRRITATION
	Oral(Rat) LD50; 15900 mg/kg ^[2]	Not Available
C.I. Pigment Green 7	dermal (rat) LD50: >2000 mg/kg ^[1]	Not Available
	Oral(Rat) LD50; >2100 mg/kg ^[1]	
	TOXICITY	IRRITATION
C.I. Pigment Blue 15	Oral(Rat) LD50; >2000 mg/kg ^[1]	Not Available
	TOXICITY	IRRITATION
	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (human): non-irritant
	Oral(Rat) LD50; >2000 mg/kg ^[1]	Skin (human): non-irritant

water	TOXICITY	IRRITATION
	Oral(Rat) LD50; >90 mg/kg ^[2]	Not Available
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances	
CALCIUM CARBONATE	<p>No evidence of carcinogenic properties. No evidence of mutagenic or teratogenic effects.</p> <p>The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.</p> <p>The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling the epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.</p>	
C.I. PIGMENT BLUE 29	NOTE: 90 day (chronic), teratological and mutagenicity tests here all provided negative results. Animal tests have also demonstrated no skin irritation or sensitization. [ICI]	
C.I. PIGMENT WHITE 6	<p>For titanium dioxide:</p> <p>Humans can be exposed to titanium dioxide via inhalation, ingestion or dermal contact. In human lungs, the clearance kinetics of titanium dioxide is poorly characterized relative to that in experimental animals. (General particle characteristics and host factors that are considered to affect deposition and retention patterns of inhaled, poorly soluble particles such as titanium dioxide are summarized in the monograph on carbon black.) With regard to inhaled titanium dioxide, human data are mainly available from case reports that showed deposits of titanium dioxide in lung tissue as well as in lymph nodes. A single clinical study of oral ingestion of fine titanium dioxide showed particle size-dependent absorption by the gastrointestinal tract and large interindividual variations in blood levels of titanium dioxide. Studies on the application of sunscreens containing ultrafine titanium dioxide to healthy skin of human volunteers revealed that titanium dioxide particles only penetrate into the outermost layers of the stratum corneum, suggesting that healthy skin is an effective barrier to titanium dioxide. There are no studies on penetration of titanium dioxide in compromised skin.</p> <p>Respiratory effects that have been observed among groups of titanium dioxide-exposed workers include decline in lung function, pleural disease with plaques and pleural thickening, and mild fibrotic changes. However, the workers in these studies were also exposed to asbestos and/or silica.</p> <p>No data were available on genotoxic effects in titanium dioxide-exposed humans.</p> <p>Many data on deposition, retention and clearance of titanium dioxide in experimental animals are available for the inhalation route. Titanium dioxide inhalation studies showed differences — both for normalized pulmonary burden (deposited mass per dry lung, mass per body weight) and clearance kinetics — among rodent species including rats of different size, age and strain. Clearance of titanium dioxide is also affected by pre-exposure to gaseous pollutants or co-exposure to cytotoxic aerosols. Differences in dose rate or clearance kinetics and the appearance of focal areas of high particle burden have been implicated in the higher toxic and inflammatory lung responses to intratracheally instilled vs inhaled titanium dioxide particles. Experimental studies with titanium dioxide have demonstrated that rodents experience dose-dependent impairment of alveolar macrophage-mediated clearance. Hamsters have the most efficient clearance of inhaled titanium dioxide. Ultrafine primary particles of titanium dioxide are more slowly cleared than their fine counterparts.</p> <p>Titanium dioxide causes varying degrees of inflammation and associated pulmonary effects including lung epithelial cell injury, cholesterol granulomas and fibrosis. Rodents experience stronger pulmonary effects after exposure to ultrafine titanium dioxide particles compared with fine particles on a mass basis. These differences are related to lung burden in terms of particle surface area, and are considered to result from impaired phagocytosis and sequestration of ultrafine particles into the interstitium. Fine titanium dioxide particles show minimal cytotoxicity to and inflammatory/pro-fibrotic mediator release from primary human alveolar macrophages in vitro compared with other particles. Ultrafine titanium dioxide particles inhibit phagocytosis of alveolar macrophages in vitro at mass dose concentrations at which this effect does not occur with fine titanium dioxide. In-vitro studies with fine and ultrafine titanium dioxide and purified DNA show induction of DNA damage that is suggestive of the generation of reactive oxygen species by both particle types. This effect is stronger for ultrafine than for fine titanium oxide, and is markedly enhanced by exposure to simulated sunlight/ultraviolet light.</p> <p>Animal carcinogenicity data</p> <p>Pigmentary and ultrafine titanium dioxide were tested for carcinogenicity by oral administration in mice and rats, by inhalation in rats and female mice, by intratracheal administration in hamsters and female rats and mice, by subcutaneous injection in rats and by intraperitoneal administration in male mice and female rats.</p> <p>In one inhalation study, the incidence of benign and malignant lung tumours was increased in female rats. In another inhalation study, the incidences of lung adenomas were increased in the high-dose groups of male and female rats. Cystic keratinizing lesions that were diagnosed as squamous-cell carcinomas but re-evaluated as non-neoplastic pulmonary keratinizing cysts were also observed in the high-dose groups of female rats. Two inhalation studies in rats and one in female mice were negative. Intratracheally instilled female rats showed an increased incidence of both benign and malignant lung tumours following treatment with two types of titanium dioxide. Tumour incidence was not increased in intratracheally instilled hamsters and female mice.</p> <p>In-vivo studies have shown enhanced micronucleus formation in bone marrow and peripheral blood lymphocytes of intraperitoneally instilled mice. Increased Hprt mutations were seen in lung epithelial cells isolated from titanium dioxide-instilled rats. In another study, no enhanced oxidative DNA damage was observed in lung tissues of rats that were intratracheally instilled with titanium dioxide. The results of most in-vitro genotoxicity studies with titanium dioxide were negative.</p> <p>Substance has been investigated as a mutagen, tumorigen and primary irritant.</p>	
C.I. PIGMENT ORANGE 13	<p>For diarylide (disazo) pigments (3,3'-dichlorobenzidine-containing):</p> <p>The substances in this category do not present a hazard for human health due to their low hazard profile. Adequate screening-level data are available to characterise the human health hazard for the purposes of the OECD Cooperative Chemicals Assessment Programme.</p>	

Jasart Byron Watercolour Pan Tin Sets

Diarylide pigments are synthesized by bis-diazotizing diamino-diphenyl derivatives, mainly 3,3'-dichlorobenzidine (DCB), and coupling with acetoacetylides or arylsubstituted pyrazolones

Studies indicate that essentially there is no potential for uptake via the oral and dermal routes. However, following repeated oral exposure at high dose levels, there is some evidence that a very limited uptake of the compound (or its impurities) could occur, based on observations of staining of the mucosal surfaces of internal organs (although the possibility of contamination during necropsy cannot be excluded). In an oral reproductive developmental screening study, staining of the pups could indicate a potential for limited placental transfer, again at a high dose level. Given that the Pigment Yellows are essentially not absorbed into the body, metabolism is not relevant. However, the presence of very low levels of 3,3'-dichlorobenzidine has been demonstrated in two studies using very sensitive techniques following oral administration of some yellow pigment compounds. It seems likely that this is due to the presence of a mono-azo impurity in some of the yellow pigment parent compounds, which is absorbed and subsequently metabolised. No DCB was found in the urine of experimental animals after exposure orally or via the lungs in long term studies. Following ingestion, the vast majority of the pigments are excreted unchanged in the faeces. Many diarylide pigments are derived from DCB. Therefore, the diarylide pigments on DCB basis have been tested toxicologically very extensively. Diarylide pigments with their LD50 values above 2 000 mg/kg show no acute toxicity according to the EU classification criteria. They are not irritating to the skin or mucous membranes.

For acute dermal toxicity a single LD50 of >3,000 mg/kg bw is available for Pigment Yellow 13. No deaths or clinical signs of toxicity were observed following oral or dermal exposure. The inhalation LC50 available is >4,448 mg/m3 for Pigment Yellow 13. Tachypnoea, dyspnoea, exophthalmos, ruffled fur and curved or ventral body position were observed, although all animals recovered and no gross abnormalities were observed at necropsy.

Based on the available data the pigments have a minimal to slight potential for eye irritation. There is no indication that they are sensitisers

No adverse effects were seen after 4-7 weeks oral administration of Pigment Yellow 12 at 1000 mg/kg/day (NOAEL), the highest dose tested in a well conducted and reported test of repeated dose toxicity study. Furthermore, in the cases of Pigment Yellow 12 and 83, no toxicologically significant effects were observed in a range of chronic toxicity studies of lesser quality (in terms of reporting) in rats and mice at doses up to 6500 mg/kg/day. Based on the kinetics of the three pigments and the chemical similarities, it can be concluded that these findings can be extrapolated to most if not all diarylide pigments.

For the inhalation route the effects seen are related to the deposition of dust particles in the lungs, leading to Pigment Yellow 13 related effects even at the lowest exposure concentration of 54 mg/m3 (local LOAEL). Systemically no effects were observed at the highest concentration tested, 410 mg/m3 (systemic NOAEL).

All three pigments are not genotoxic in bacterial tests. Pigment Yellow 12 did not induce clastogenic effects in mammalian cells. Based on the chemical similarities between the three pigments, it is predicted that all three Yellow Pigments will not induce chromosomal changes in mammalian cells. There are no in vitro data to suggest that the pigments are genotoxic in vivo.

No increased tumour incidence after treatment with Pigment Yellow 12 and 83 were observed in several long-term studies in rats and mice (NOAEL (rat) > 630 mg/kg; NOAEL (mouse) > 1,960 mg/kg). Based on chemical similarity it can be concluded that the pigments are not carcinogenic.

It can be concluded that Pigment Yellow 12 does not have any adverse effects on reproductive parameters. There was no evidence of teratogenicity. The NOAEL for maternal and reproductive toxicity is >1,000 mg/kg bw. Supporting evidence is also available from the fact that no changes on the reproductive organs were observed in the studies of repeat dose toxicity and carcinogenicity study with Pigment Yellow 83. In view of the structural similarities and similar kinetics no effects on reproduction or development are expected from pigments of this class.

In studies of the bioavailability of several representatives of this group of pigments, no carcinogenic cleavage product was released in detectable amounts after oral, inhalative or intratracheal application on rats.

One further study of the bioavailability of DCB (DCB haemoglobin adduct) has been performed with the diarylide pigments C.I. Pigment Yellow 13 and C.I. Pigment Yellow 17. In this study, no release of carcinogenic DCB from the pigments has been detected. This indicates the absence of metabolism to DCB under the test conditions.

In summary then, according to the known studies, diarylide pigments do not represent any health risk although risks might attach to contaminants introduced during synthesis.

Colourants for Food Contact Plastics - Aspects of Product Safety; Responsible Care initiative of the European Chemical Industry Council.

For 3,3'-dichlorobenzidine:

Various tumours developed after oral or subcutaneous administration of 3,3'-dichlorobenzidine to mice, rats, hamsters and dogs. Tumours have not yet been identified in persons exposed to the substance alone. The substance can be absorbed through the skin in dangerous quantities. Increases in temperature and relative humidity promote dermal absorption.

Upper respiratory infection and sore throat were listed among several principal reasons for visits to a company's medical clinic by workers handling 3,3'-dichlorobenzidine dihydrochloride. However, there is no conclusive evidence that these effects were due to inhalation of 3,3'-dichlorobenzidine dihydrochloride.

No adverse health effects were observed in male rats exposed by inhalation to 3,3'-dichlorobenzidine free base (23,700 mg/m3) 2 hours per day for 7 days. In another study, 10 rats were exposed to an unspecified concentration of 3,3'-dichlorobenzidine dihydrochloride dust particles for 1 hour and then observed for 14 days. Slight-to-moderate pulmonary congestion and one pulmonary abscess were observed upon necropsy. The effects observed in the study using the ionized (hydrochloride) form of 3,3'-dichlorobenzidine may have been due to the irritative properties of hydrochloric acid released from the salt in combination with particulate toxicity.

Gastrointestinal upset was one of the symptoms reported by employees who worked with 3,3'-dichlorobenzidine dihydrochloride. However, there is no conclusive evidence that the gastrointestinal effects, or other symptoms reported by employees, resulted specifically from inhalation of 3,3'-dichlorobenzidine dihydrochloride.

The only relevant information regarding neurological effects in humans exposed to 3,3'-dichlorobenzidine was found in an early study which reported that headache and dizziness were among several principal reasons why employees working with 3,3'-dichlorobenzidine in a chemical manufacturing plant visited the company medical clinic. However, there is no conclusive evidence that these symptoms were caused specifically by 3,3'-dichlorobenzidine since there was exposure to other chemicals as well. In a 3,3'-dichlorobenzidine carcinogenicity study, 1 of 6 dogs exhibited convulsions after 21, 28, or 42 months of oral treatment with 10.4 mg/kg/day over a period of 3.5 years

Carcinogenicity: Several epidemiological studies have investigated cancer incidences among workers occupationally exposed

to 3,3'-dichlorobenzidine. Exposure may have been by both inhalation and dermal routes. Due, in part, to structure-activity considerations, epidemiological studies of potential cancer effects of occupational exposure to 3,3'-dichlorobenzidine have been particularly concerned with bladder tumors, since 3,3'-dichlorobenzidine is structurally similar to benzidine, a chemical which is known to be a human bladder carcinogen. No bladder tumors were found in a group of 35 workers who handled only 3,3'-dichlorobenzidine; in the same dyestuff plant, bladder tumors occurred in 3 out of 14 workers exposed to both benzidine and 3,3'-dichlorobenzidine. The investigator reported a total exposure time of 68,505 hours, equivalent to nearly 140 full-time working years. No cases of bladder tumors were found in an epidemiology study of 259 workers exposed to dry and sermidry 3,3'-dichlorobenzidine base and hydrochloride. Workers were exposed to an average of less than 16 years each to 3,3'-dichlorobenzidine, which means that an adequate exposure duration and/or the latent period following exposure may not have been reached for tumor expression.

In a retrospective epidemiological study of workers employed in a dye and pigment manufacturing plant that used 3,3'-dichlorobenzidine as chemical precursor, no bladder tumors were observed in a cohort of 207 workers, most of whom had been exposed for up to 15 years. Limitations of this study included using data from a very small and incomplete sample of workers; focusing solely on the occurrence of bladder tumors; and using data that may have been misleading and, at times, apparently inaccurate.

A statistically significant increased incidence of hepatomas was observed in male ICR/JCL mice exposed to 0.1% 3,3'-dichlorobenzidine in the diet (170 mg/kg/day) at 6 months (8 of 8 treated as opposed to 0 of 5 controls) and 12 months (18 of 18 treated as opposed to 2 of 21 controls). Hepatic tumors were observed in 4/18 strain D mice exposed to 11.2-1.9 mg 3,3'-dichlorobenzidine/kg/day in the diet for 10 months

No bladder carcinomas were observed in rats exposed to 0.03% 3,3'-dichlorobenzidine in the diet (27 mg/kg/day) for 4 or 40 weeks, nor were any mammary tumors observed in rats administered approximately 49 mg 3,3'-dichlorobenzidine dihydrochloride/kg/day by gavage once every 3 days over a 30-day period and sacrificed 8 months later. In a study in which rats were exposed to 10-20 mg 3,3'-dichlorobenzidine per day (120 mg/kg/day) in feed 6 days per week for 12 months, tumors were observed at a variety of sites, including the Zymbal gland (7 of 29 animals), mammary gland (7/29), bladder (3/29), hematopoietic system (3/29), skin (3/29), ileum (2/29), connective tissue (2/29), salivary gland (2/29), liver (1/29), and thyroid (1/29).

In another rat study, 3,3'-dichlorobenzidine was administered to 50 male (70 mg/kg/day) and 50 female (80 mg/kg/day) Sprague-Dawley rats, in a standard diet for up to 16 months. In rats fed 3,3'-dichlorobenzidine in the diet for a total of 349 days (females) and 353 days (males), histopathological evaluations revealed mammary adenocarcinoma (16% incidence), malignant lymphoma (14%), granulocytic leukemia (20%), carcinoma of the Zymbal gland (18%) in males, and mammary adenocarcinoma (59%) in females. The authors noted that most of these tumors appeared to arise in the bone marrow and hematopoietic foci in the spleen and liver with subsequent metastasis to other organs.

Haematological Effects. Although haematological effects may not be sensitive indicators for 3,3'-dichlorobenzidine toxicity, haemoglobin adducts have been detected in female Wistar rats orally administered single 127 or 253 mg/kg doses of 3,3'-dichlorobenzidine or with repeated doses between 0.3 and 5.8 mg/kg/day. It was suggested that metabolically formed nitroso derivatives and the formation of a sulfinic acid amide with cysteine residues in haemoglobin may be the mechanism of adduct formation.

Hepatic Effects. Limited animal evidence suggests that chronic-duration oral exposure to 3,3'-dichlorobenzidine results in mild-to-moderate liver injury.

Genotoxic effects: Genotoxic effects have been reported in animals treated with 3,3'-dichlorobenzidine. A single dose of 3,3'-dichlorobenzidine (1,000 mg/kg) administered to male and pregnant female mice induced micronuclei in polychromatic erythrocytes in the bone marrow of the males and in the liver of the fetuses, but not in bone marrow of the dams.

In another study, an increase in unscheduled deoxyribonucleic acid synthesis (UDS) was observed in cultured liver cells from male mice previously pretreated orally with single doses of .500 mg/kg 3,3'-dichlorobenzidine; no response was observed at a dose of .200 mg/kg. 3,3'-Dichlorobenzidine was also shown to bind extensively to tissue deoxyribonucleic acid (DNA) in rats and mice

In vitro screening test for mutagenicity: negative

CALCIUM CARBONATE & C.I. PIGMENT YELLOW 42

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production.

DEXTRINS & C.I. PIGMENT YELLOW 42 & C.I. PIGMENT BLACK 7 & C.I. PIGMENT RED 101 & C.I. PIGMENT GREEN 7 & WATER

No significant acute toxicological data identified in literature search.

C.I. PIGMENT YELLOW 42 & C.I. PIGMENT WHITE 6

The substance is classified by IARC as Group 3:
NOT classifiable as to its carcinogenicity to humans.
Evidence of carcinogenicity may be inadequate or limited in animal testing.

Acute Toxicity

✘

Carcinogenicity

✘

Continued...

Jasart Byron Watercolour Pan Tin Sets

Skin Irritation/Corrosion	✗	Reproductivity	✗
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	✗
Respiratory or Skin sensitisation	✗	STOT - Repeated Exposure	✗
Mutagenicity	✗	Aspiration Hazard	✗

Legend: ✗ – Data either not available or does not fill the criteria for classification
✓ – Data available to make classification

SECTION 12 Ecological information

Toxicity

Jasart Byron Watercolour Pan Tin Sets	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
calcium carbonate	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	6	Fish	4320mg/l	4
	LC50	96	Fish	>229.245mg/L	4
	EC50	72	Algae or other aquatic plants	>14mg/l	2
dextrins	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
C.I. Pigment Yellow 42	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	504	Fish	0.52mg/l	2
	LC50	96	Fish	0.05mg/l	2
	EC50	72	Algae or other aquatic plants	18mg/l	2
C.I. Pigment Blue 29	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48	Crustacea	>21mg/l	2
	LC50	96	Fish	>=90mg/l	2
	EC50(ECx)	48	Crustacea	>21mg/l	2
	EC50	72	Algae or other aquatic plants	>99mg/l	2
C.I. Pigment White 6	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48	Crustacea	1.9mg/l	2
	BCF	1008	Fish	<1.19.6	7
	LC50	96	Fish	1.853.06mg/l	4
	EC50	72	Algae or other aquatic plants	3.757.58mg/l	4
	NOEC(ECx)	48	Crustacea	0.003mg/L	4
	EC50	96	Algae or other aquatic plants	179.05mg/l	2
C.I. Pigment Black 7	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48	Crustacea	33.07641.968mg/l	4
	LC50	96	Fish	>100mg/l	2
	EC50	72	Algae or other aquatic plants	>0.2mg/l	2
	NOEC(ECx)	24	Crustacea	3200mg/l	1
C.I. Pigment Red 101	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48	Crustacea	>100mg/l	2
	LC50	96	Fish	0.05mg/l	2
	EC50	72	Algae or other aquatic plants	18mg/l	2
	NOEC(ECx)	504	Fish	0.52mg/l	2

Continued...

Jasart Byron Watercolour Pan Tin Sets

	Endpoint	Test Duration (hr)	Species	Value	Source
	C.I. Pigment Yellow 1	EC50	48	Crustacea	>100mg/l
LC50		96	Fish	>1mg/l	2
NOEC(ECx)		504	Crustacea	>1mg/l	2
EC50		72	Algae or other aquatic plants	>100mg/l	2
C.I. Pigment Red 170	ErC50	72	Algae or other aquatic plants	17mg/l	2
	EC50	48	Crustacea	>100mg/l	2
	LC50	96	Fish	>100mg/l	2
	EC50(ECx)	72	Algae or other aquatic plants	>1mg/l	2
	EC50	72	Algae or other aquatic plants	>1mg/l	2
D-sorbitol	Endpoint	Test Duration (hr)	Species	Value	Source
	EC10(ECx)	168	Algae or other aquatic plants	8408.53mg/L	4
C.I. Pigment Orange 13	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	504	Crustacea	1mg/l	2
	BCF	1008	Fish	0.755.6	7
	LC50	96	Fish	>500mg/l	2
C.I. Pigment Green 7	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48	Crustacea	153.6mg/l	2
	BCF	1008	Fish	0.514.8	7
	LC50	96	Fish	>100mg/l	2
	EC50	72	Algae or other aquatic plants	>100mg/l	2
C.I. Pigment Blue 15	Endpoint	Test Duration (hr)	Species	Value	Source
	BCF	1008	Fish	<0.3311	7
	EC50	48	Crustacea	>100mg/l	2
	LC50	96	Fish	~46mg/l	2
	EC50	72	Algae or other aquatic plants	>100mg/l	2
	NOEC(ECx)	504	Crustacea	>=1mg/l	2
water	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	<p>Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data</p>				

Harmful to aquatic organisms.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
C.I. Pigment White 6	HIGH	HIGH
C.I. Pigment Yellow 1	HIGH	HIGH
D-sorbitol	LOW	LOW
C.I. Pigment Blue 15	HIGH	HIGH
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation

Continued...

Ingredient	Bioaccumulation
C.I. Pigment White 6	LOW (BCF = 10)
C.I. Pigment Yellow 1	MEDIUM (LogKOW = 3.9388)
D-sorbitol	LOW (LogKOW = -3.0108)
C.I. Pigment Orange 13	LOW (BCF = 5.6)
C.I. Pigment Green 7	LOW (BCF = 74)
C.I. Pigment Blue 15	LOW (BCF = 11)
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
C.I. Pigment White 6	LOW (KOC = 23.74)
C.I. Pigment Yellow 1	LOW (KOC = 278.5)
D-sorbitol	LOW (KOC = 10)
C.I. Pigment Blue 15	LOW (KOC = 10000000000)
water	LOW (KOC = 14.3)

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal	<p>Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.</p> <p>A Hierarchy of Controls seems to be common - the user should investigate:</p> <ul style="list-style-type: none"> ▸ Reduction ▸ Reuse ▸ Recycling ▸ Disposal (if all else fails) <p>This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.</p> <ul style="list-style-type: none"> ▸ DO NOT allow wash water from cleaning or process equipment to enter drains. ▸ It may be necessary to collect all wash water for treatment before disposal. ▸ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. ▸ Where in doubt contact the responsible authority. ▸ Recycle wherever possible. ▸ Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. ▸ Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material). ▸ Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.
-------------------------------------	--

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
--------------	-------

Jasart Byron Watercolour Pan Tin Sets

Product name	Group
calcium carbonate	Not Available
dextrins	Not Available
C.I. Pigment Yellow 42	Not Available
C.I. Pigment Blue 29	Not Available
C.I. Pigment White 6	Not Available
C.I. Pigment Black 7	Not Available
C.I. Pigment Red 101	Not Available
C.I. Pigment Yellow 1	Not Available
C.I. Pigment Red 170	Not Available
D-sorbitol	Not Available
C.I. Pigment Orange 13	Not Available
C.I. Pigment Green 7	Not Available
C.I. Pigment Blue 15	Not Available
water	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
calcium carbonate	Not Available
dextrins	Not Available
C.I. Pigment Yellow 42	Not Available
C.I. Pigment Blue 29	Not Available
C.I. Pigment White 6	Not Available
C.I. Pigment Black 7	Not Available
C.I. Pigment Red 101	Not Available
C.I. Pigment Yellow 1	Not Available
C.I. Pigment Red 170	Not Available
D-sorbitol	Not Available
C.I. Pigment Orange 13	Not Available
C.I. Pigment Green 7	Not Available
C.I. Pigment Blue 15	Not Available
water	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

calcium carbonate is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

dextrins is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

C.I. Pigment Yellow 42 is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 2

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

Australian Inventory of Industrial Chemicals (AIIC)

C.I. Pigment Blue 29 is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

C.I. Pigment White 6 is found on the following regulatory lists

Continued...

Jasart Byron Watercolour Pan Tin Sets

Australian Inventory of Industrial Chemicals (AIIC)
 Chemical Footprint Project - Chemicals of High Concern List
 International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans
 International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

C.I. Pigment Black 7 is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
 Australian Inventory of Industrial Chemicals (AIIC)
 Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
 International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans
 International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

C.I. Pigment Red 101 is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4
 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5
 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

Australian Inventory of Industrial Chemicals (AIIC)
 International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

C.I. Pigment Yellow 1 is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

C.I. Pigment Red 170 is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

D-sorbitol is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

C.I. Pigment Orange 13 is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 7
 Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List
 International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
 International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans

C.I. Pigment Green 7 is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4
 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
 Australian Inventory of Industrial Chemicals (AIIC)

C.I. Pigment Blue 15 is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4
 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6
 Australian Inventory of Industrial Chemicals (AIIC)

water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (dextrins; C.I. Pigment Yellow 42; C.I. Pigment Blue 29; C.I. Pigment White 6; C.I. Pigment Black 7; C.I. Pigment Red 101; C.I. Pigment Yellow 1; C.I. Pigment Red 170; D-sorbitol; C.I. Pigment Orange 13; C.I. Pigment Green 7; C.I. Pigment Blue 15; water)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes

Jasart Byron Watercolour Pan Tin Sets

National Inventory	Status
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	No (C.I. Pigment Green 7)
Vietnam - NCI	Yes
Russia - ARIPS	No (C.I. Pigment Yellow 42)
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing (see specific ingredients in brackets)

SECTION 16 Other information

Revision Date	19/02/2021
Initial Date	19/02/2021

SDS Version Summary

Version	Issue Date	Sections Updated
2.1.1.1	19/02/2021	Acute Health (swallowed), Advice to Doctor, Classification, Engineering Control

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average
 PC—STEL: Permissible Concentration-Short Term Exposure Limit
 IARC: International Agency for Research on Cancer
 ACGIH: American Conference of Governmental Industrial Hygienists
 STEL: Short Term Exposure Limit
 TEEL: Temporary Emergency Exposure Limit.
 IDLH: Immediately Dangerous to Life or Health Concentrations
 OSF: Odour Safety Factor
 NOAEL :No Observed Adverse Effect Level
 LOAEL: Lowest Observed Adverse Effect Level
 TLV: Threshold Limit Value
 LOD: Limit Of Detection
 OTV: Odour Threshold Value
 BCF: BioConcentration Factors
 BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.