

LIQUITEX HEAVY BODY ACRYLIC COLOURS

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations
Issue date: 9/27/2023 Version: 1.0

SECTION 1: Product identifier

1.1. GHS Product identifier

Product form : Mixture
Trade name : LIQUITEX HEAVY BODY ACRYLIC COLOURS

1.2. Other means of identification

Other means of identification : All colours in range excluding TRANSPARENT MIXING WHITE:
MEDIUM MAGENTA, PHTHALOCYANINE BLUE (RED SHADE), CADMIUM FREE ORANGE, CADMIUM FREE RED LIGHT, CADMIUM FREE RED MEDIUM, CADMIUM FREE YELLOW LIGHT, CADMIUM FREE YELLOW MEDIUM, HOOKERS GREEN HUE PERMANENT, IRIDESCENT RICH SILVER, PAYNE'S GRAY, BURNT UMBER, PHTHALOCYANINE GREEN BLUE SHADE, DIOXAZINE PURPLE, RAW SIENNA, RAW UMBER, ULTRAMARINE BLUE GREEN SHADE, YELLOW OXIDE, QUINACRIDONE BURNT ORANGE, QUINACRIDONE RED ORANGE, QUINACRIDONE CRIMSON, DEEP VIOLET, QUINACRIDONE BLUE VIOLET, BURNT SIENNA, CADMIUM ORANGE, CADMIUM RED LIGHT, CADMIUM RED MEDIUM, CADMIUM YELLOW LIGHT, CADMIUM YELLOW MEDIUM, CHROMIUM OXIDE GREEN, COBALT TURQUOISE, COBALT BLUE, COBALT GREEN, HOOKERS GREEN HUE, HOOKERS GREEN DEEP, IRIDESCENT RICH BRONZE, IRIDESCENT RICH COPPER, IRIDESCENT RICH GOLD, IRIDESCENT ANTIQUE GOLD, IRIDESCENT WHITE, PRUSSIAN BLUE HUE, RED OXIDE, GREEN DEEP PERMANENT, ULTRAMARINE BLUE RED SHADE, PRISM VIOLET, VANDYKE RED, VIRIDIAN HUE PERMANENT, YELLOW MEDIUM AZO, YELLOW ORANGE AZO, TURQUOISE DEEP, PYRROLE RED, INDANTHRENE BLUE, PYROLE CRIMSON, TRANSPARENT VIRIDIAN HUE, MUTED TURQUOISE, CADMIUM FREE YELLOW DEEP, CADMIUM FREE RED DEEP, PERMANENT HOOKERS GREEN HUE, FLUORESCENT YELLOW, FLUORESCENT ORANGE, FLUORESCENT RED, FLUORESCENT PINK, FLUORESCENT BLUE, FLUORESCENT GREEN, INDIGO, TRANSPARENT ORANGE, IRIDESCENT BRIGHT GOLD, TITANIUM WHITE, CERULEAN BLUE, COBALT TEAL, IRIDESCENT BRIGHT SILVER, PERMANENT GREEN LIGHT, COBALT BLUE HUE, YELLOW LIGHT HANSA, EMERALD GREEN, BRILLIANT BLUE, NAPLES YELLOW HUE, LIGHT EMERALD GREEN, BRIGHT AQUA GREEN, VIVID LIME GREEN, LIGHT BISMUTH YELLOW, LIGHT PHTHALOCYANINE GREEN, NAPHTHOL CRIMSON, PHTHALOCYANINE BLUE GREEN SHADE, NAPHTHOL RED LIGHT, DEEP MAGENTA, TRANSPARENT BURNT SIENNA, GREEN GOLD, TRANSPARENT RAW SIENNA, MUTED GREY, ALIZARIN CRIMSON HUE PERMANENT, QUINACRIDONE RED, SAP GREEN PERMANENT, PHTHALOCYANINE GREEN YELLOW SHADE, BRONZE YELLOW, VIVID RED ORANGE, TURNER YELLOW, TRANSPARENT BURNT UMBER, PYROLE ORANGE, INDIAN YELLOW, TRANSPARENT RAW UMBER, MUTED GREEN, MUTED PINK, IVORY BLACK, MARS BLACK, QUINACRIDONE MAGENTA, MUTED VIOLET, UNBLEACHED TITANIUM, MANGANESE BLUE HUE, PARCHMENT, CERULEAN BLUE HUE, BRILLIANT PURPLE, NEUTRAL GRAY 5, LIGHT BLUE VIOLET, LIGHT BLUE PERMANENT, LIGHT PINK, BRILLIANT YELLOW GREEN

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Artists', craft and hobby paints

LIQUITEX HEAVY BODY ACRYLIC COLOURS

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

1.4. Details of manufacturer or importer

Distributor

JASCO
1-5 Commercial Road Kingsgrove
New South Wales NSW 2208
T 029807 1555

Other

Colart International Holdings LTD
The MediaWorks Building
191 Wood Lane
London London W12 7FP
United Kingdom
T 02084243200
r.enquiries@colart.co.uk

Distributor

COLART UK LTD
Goldthorn Road
Kidderminster Worcestershire DY11 7JN
United Kingdom
T +44 (0) 2084243200
r.enquiries@colart.co.uk

Distributor

Jasco Pty (NZ) Limited
5 Airpark Drive, Airport Oaks, Auckland Airport Auckland
P.O. Box 107010

Supplier

COLART EUROPE SAS SAS
5 rue René Panhard 72021 Le Mans Cedex 2
LeMans 72021
France
T +44 208 424 3270
r.enquiries@colart.co.uk

Manufacturer

Colart France
+33 2 43 83 00 Zone Industrielle Nord 5 Rue René Panhard
Le Mans
France
r.enquiries@colart.co.uk

1.5. Emergency phone number

Emergency number : Australian poisons centre: 13 11 26, New Zealand Poison centre number: 0800 764 766

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145	13 11 26	
New Zealand	New Zealand National Poison Centre Dunedin School of Medicine, University of Otago	PO Box 56 Dunedin 9054	0800 764 766 (0800 POISON)	

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Not classified

2.2. GHS Label elements, including precautionary statements

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

This mixture does not contain any substances to be mentioned according to the applicable regulations

LIQUITEX HEAVY BODY ACRYLIC COLOURS

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Symptoms caused by exposure

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

4.3. Medical attention and special treatment

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
-------------------------	--

LIQUITEX HEAVY BODY ACRYLIC COLOURS

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

No additional information available

8.2. Monitoring methods

No additional information available

8.3. Engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
----------------------------------	--

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Avoid contact with skin
Eye protection	: Avoid contact with eyes
Skin and body protection	: Avoid contact with skin.
Respiratory protection	: No respiratory protection needed under normal use conditions
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Colourless
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Flammability	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Explosive properties	: No data available
Explosive limits	: No data available

LIQUITEX HEAVY BODY ACRYLIC COLOURS

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Minimum ignition energy : No data available
Fat solubility : No data available

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability : Not established.
Possibility of hazardous reactions : Not established.
Conditions to avoid : Direct sunlight. Extremely high or low temperatures.
Incompatible materials : Strong acids. Strong bases.
Hazardous decomposition products : fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified
Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term : Not classified
(acute)
Hazardous to the aquatic environment, long-term : Not classified
(chronic)
Other information : Avoid release to the environment.

12.2. Persistence and degradability

LIQUITEX HEAVY BODY ACRYLIC COLOURS

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

LIQUITEX HEAVY BODY ACRYLIC COLOURS

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

No additional information available

LIQUITEX HEAVY BODY ACRYLIC COLOURS

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

LIQUITEX HEAVY BODY ACRYLIC COLOURS

Fluorinated greenhouse gases	False
------------------------------	-------

SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

ADG	IMDG	IATA
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

LIQUITEX HEAVY BODY ACRYLIC COLOURS

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS) : All components of this product are listed on or exempt from the Australian Industrial Chemicals Introduction Scheme (AICIS) status

15.2. International agreements

No additional information available

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Classification

Not classified

Safety Data Sheet (SDS), Australia

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.