## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 11/05/2021 Supersedes version of: 02/03/2021 Version: 5.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

Product form Trade name Product group

#### : Substance

: WINSOR & NEWTON DISTILLED TURPENTINE

: Trade product

**1.2.** Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture

- : Consumer use
- : Artists', craft and hobby paints

## 1.2.2. Uses advised against

No additional information available

### **1.3. Details of the supplier of the safety data sheet**

#### Supplier

COLART EUROPE SAS 5 rue René Panhard 72021 Le Mans Cedex 2 72021 LeMans - France T +44 208 424 3270 r.enguiries@colart.co.uk

#### Supplier

Colart Fine Art & Graphics Ltd Goldthorn Road DY11 7JN Kidderminster - United Kingdom T +44 (0) 2084243200 r.enguiries@colart.co.uk

#### Distributor

Jasco Pty (NZ) Limited 5 Airpark Drive, Airport Oaks, Auckland Airport Auckland P.O. Box 107010

# Manufacturer

Colart France Zone Industrielle Nord +33 2 43 83 83 00 5 Rue René Panhard Le Mans - France <u>r.enquiries@colart.co.uk</u>

#### Other

Colart International Holdings LTD 21 Evesham Street W11 4AJ London - United Kingdom T 02084243200 r.enguiries@colart.co.uk

#### Distributor

JASCO 1-5 Commercial Road Kingsgrove NSW 2208 New South Wales T 029807 1555

## **1.4. Emergency telephone number**

#### Emergency number

Australian poisons centre New Zealand poison centre : +33 2 43 83 83 00 (Monday- Thursday: 8:00-12:00 13:30-16:00 , Friday: 8:00-12:00 CET Language French); (+44) 2084243200 Monday-Friday: 9:00-17:00 GMT Language English) : 13 11 26

: 0800 764 766 (0800 POISON)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 4	H312
Acute toxicity (inhal.), Category 4	H332
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H statements : see section 16	

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Harmful in contact with skin. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

Labelling according to Regulation (EC) No	o. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H226 - Flammable liquid and vapour.
	H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.
	H304 - May be fatal if swallowed and enters airways.
	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER. Do NOT induce vomiting.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P501 - Dispose of contents and container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
	P273 - Avoid release to the environment.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.
Child-resistant fastening	: Applicable
Tactile warning	Applicable
2.3. Other hazards	

No additional information available

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Name

: WINSOR & NEWTON DISTILLED TURPENTINE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	
Gum turpentine oil	(CAS-No.) 8006-64-2 (EC-No.) 932-349-8	100	
2,6-Di-tert-butyl-p-cresol	(CAS-No.) 128-37-0 (EC-No.) 204-881-4	0.1 – 1	

## 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general	<ul> <li>Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).</li> </ul>
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	<ul> <li>Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Immediately call a POISON CENTER/doctor. Specific measures (see supplemental first aid instruction on this label). Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:</li> </ul>
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	<ul> <li>Rinse mouth. Call a poison center or a doctor if you feel unwell. Do NOT induce vomiting.</li> <li>Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON</li> <li>CENTER/doctor.</li> </ul>
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact	<ul> <li>Inhalation may cause irritation (cough, short breathing, difficulty in breathing).</li> <li>Irritation. May cause an allergic skin reaction. Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Causes skin irritation.</li> </ul>
Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>Eye irritation. Causes serious eye irritation.</li> <li>Swallowing a small quantity of this material will result in serious health hazard. May be fatal if swallowed and enters airways.</li> </ul>

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide. Sand.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Flammable liquid and vapour.</li> <li>May form flammable/explosive vapour-air mixture.</li> <li>Toxic fumes may be released.</li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment.
Protection during firefighting	<ul> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin, eyes and clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	<ul> <li>Handle empty containers with care because residual vapours are flammable.</li> <li>Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking.</li> </ul>
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly after handling.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	<ul> <li>Ground/bond container and receiving equipment. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical/ventilating/lighting equipment.</li> </ul>
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from :
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

Refer to section 1.2.1.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

### Personal protective equipment:

Avoid all unnecessary exposure. Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection:
Safety glasses. Chemical goggles or safety glasses

### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves. Wear protective gloves.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

## 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use. Ensure there is adequate ventilation.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Colourless.
Odour	characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 154 – 170 °C
Flash point	: 36 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable, Flammable liquid and vapour.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: < 20 mm²/s
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapour.

**10.2. Chemical stability** 

Stable under normal conditions. Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### **10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use. Not established.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **10.4. Conditions to avoid**

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Sparks.

#### **10.5. Incompatible materials**

Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information		
11.1 Information on toxicologica	l effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Harmful if swallowed.</li> <li>Harmful in contact with skin.</li> <li>Harmful if inhaled.</li> </ul>	
Gum turpentine oil (8006-64-2)		
LC50 Inhalation - Rat	13.7 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), 95% CL: 11,1 - 14,8	

2,6-Di-tert-butyl-p-cresol (128-37-0)		
LD50 oral rat	> 2930 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Der Toxicity)		
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	ory or skin sensitisation : May cause an allergic skin reaction.	
Serm cell mutagenicity : Not classified		
Additional information	: Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	

2,6-Di-tert-butyl-p-cresol (128-37-0)	
NOAEL (chronic, oral, animal/male, 2 years)	25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity Additional information	: Not classified : Based on available data, the classification criteria are not met
STOT-single exposure Additional information	: Not classified : Based on available data, the classification criteria are not met
STOT-repeated exposure Additional information	<ul><li>Not classified</li><li>Based on available data, the classification criteria are not met</li></ul>

2,6-Di-tert-butyl-p-cresol (128-37-0)	
LOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Animal sex: male

Aspiration hazard

: May be fatal if swallowed and enters airways.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WINSOR & NEWTON DISTILLED TURPENTINE		
Viscosity, kinematic	< 20 mm²/s	
Potential adverse human health effects and : symptoms	Harmful if swallowed,Harmful in contact with skin.	

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Ecology - water	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term	: Not classified
(acute)	
Hazardous to the aquatic environment, long-term	: Toxic to aquatic life with long lasting effects.
(chronic)	

2,6-Di-tert-butyl-p-cresol (128-37-0)		
LC50 - Fish [1]	> 0.57 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	0.48 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	<ul> <li>&gt; 0.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)</li> </ul>	
LOEC (chronic)	1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.023 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	0.053 mg/l Test organisms (species): Oryzias latipes Duration: '42 d'	

## 12.2. Persistence and degradability

WINSOR & NEWTON DISTILLED TURPENTINE		
Persistence and degradability         May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential		

WINSOR & NEWTON DISTILLED TURPENTINE	E
Bioaccumulative potential	Not established.
12.4. Mobility in soil	

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information

: Flammable vapours may accumulate in the container. Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials

because residual vapours are flammable.Avoid release to the environment. Hazardous waste due to toxicity.

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN
14.1. UN number	1		
UN 1299	UN 1299	UN 1299	UN 1299
14.2. UN proper shipping nan	ne		
TURPENTINE	TURPENTINE	Turpentine	TURPENTINE
Transport document description			
UN 1299 TURPENTINE, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1299 TURPENTINE, 3, III, MARINE POLLUTANT/ENVIRONMENTALL Y HAZARDOUS (35°C c.c.)	UN 1299 Turpentine, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1299 TURPENTINE, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(	es)		
3	3	3	3
14.4. Packing group			
III	111	III	III
14.5. Environmental hazards			
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment Yes

## 14.6. Special precautions for user

<b>Overland transport</b> Limited quantities (ADR)	: 51
Orange plates	· <b>30</b>
	1299
EAC code	: 3Y
Transport by sea Limited quantities (IMDG)	: 5 L
Air transport PCA Limited quantities (IATA)	: Y344
Inland waterway transport Limited quantities (ADN)	: 5 L

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

WINSOR & NEWTON DISTILLED TURPENTINE is not on the REACH Candidate List

WINSOR & NEWTON DISTILLED TURPENTINE is not on the REACH Annex XIV List

WINSOR & NEWTON DISTILLED TURPENTINE is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

WINSOR & NEWTON DISTILLED TURPENTINE is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

Please read instructions / label before using product.	
EMERGENCY CONTACTS	
Jasco Pty Ltd	: 02 9807 1555
Police and Fire Brigade	: 000
Poisons information centre	: 13 11 26
Safety Data Sheet applicable regions	: Australia
EMERGENCY CONTACTS Jasco Pty Ltd	: 02 9807 1555
Poisons information centre	: 0800 764 766 (0800 POISON)

## **15.2. Chemical safety assessment**

No chemical safety assessment has been carried out

SECTION 16: Other information		
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.	
Other information	: None.	
Full taxt of H- and FUH-statements		

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

# Safety Data Sheet applicable for : GB - United Kingdom regions

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.