SAFETY DATA SHEET

WINSOR & NEWTON ALL PURPOSE HIGH GLOSS VARNISH (AEROSOL)(AUSTRALIA)

According to the National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)]

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	WINSOR & NEWTON ALL PURPOSE HIGH GLOSS VARNISH (AEROSOL)(AUSTRALIA)	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	Varnish for Oil Painting Varnish for Acrylic Painting	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of the	he safety data sheet	
Supplier	Jasco Pty Ltd. 1-5 Commercial Road, Kingsgrove NSW 2208 02 9807 1555	
Manufacturer	ColArt International SA 5 Rue Rene Panhard Z.I .Nord 72021 Le Mans Cedex 2 +33 2 43 83 83 00	
1.4. Emergency telephone nur	nber	
Emergency telephone	Australian poisons centre - 13 11 26	
SECTION 2: Hazards identifica	ation	
2.1. Classification of the substa	ance or mixture	
Classification Physical hazards	Aerosol 1 - H222, H229	
Health hazards	STOT RE 1 - H372 Asp. Tox. 1 - H304	
Environmental hazards	Aquatic Chronic 3 - H412	
Classification (67/548/EEC or 1999/45/EC)	F+;R12. R52/53,R66,R67.	
Human health	In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea.	
Physicochemical	The product is extremely flammable. Aerosol containers can explode when heated, due to excessive pressure build-up.	
2.2. Label elements		
Pictogram		

Signal word

Danger

Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated H372 Causes damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P260 Do not breathe vapour/spray. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P314 Get medical advice/attention if you feel unwell. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/container in accordance with national regulations.
Contains	Stoddard solvent, Hydrocarbons, C10-C12, <2% aromatics, Hydrocarbons, C9, Hydrocarbons, C14-C18, <2% aromatics

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
BUTANE		30-60%
CAS number: 106-97-8	EC number: 203-448-7	
Classification	Class	sification (67/548/EEC or 1999/45/EC)
Flam. Gas 1 - H220	F+;R	12
Press. Gas		
Stoddard solvent		10-20%
		10-2070
CAS number: 8052-41-3	EC number: 232-489-3	
Classification		
Flam. Liq. 3 - H226		
STOT RE 1 - H372		
Asp. Tox. 1 - H304		
Aquatic Chronic 2 - H411		
	-	
Hydrocarbons, C10-C12, <2% aromat	ics	10-30%
CAS number: 90622-57-4	EC number: 923-037-2	REACH registration number: 01-
		2119471991-29xxx
Classification	Class	sification (67/548/EEC or 1999/45/EC)
Flam. Lig. 3 - H226		65. R53,R66,R10.
Asp. Tox. 1 - H304	,	· · ·
Aquatic Chronic 4 - H413		

Hydrocarbons, C9			1-5%
CAS number: 64742-95-6	EC number: 918-668-5	5 REACH registration number: 01- 2119455851-35-xxxx	
Classification Flam. Liq. 3 - H226 Asp. Tox. 1 - H304 STOT SE 3 - H335, H336 Aquatic Chronic 2 - H411		elassification (67/548/EEC or 1999/45/EC) n;R65. Xi;R37. N;R51/53. R10,R67,R66.	
Hydrocarbons, C14-C18, <2	2% aromatics		1-5%
CAS number: 64742-47-8	EC number: 927-632-8	8 REACH registration number: 01- 2119457736-27-0001	
Classification Asp. Tox. 1 - H304		l assification (67/548/EEC or 1999/45/EC) n;R65. R66.	
Nonane			<1%
CAS number: 111-84-2	EC number: 203-913-4	4 REACH registration number: 01- 2119463259-31-XXXX	
M factor (Acute) = 1			
Classification Flam. Liq. 3 - H226 Aquatic Acute 1 - H400			
Toluene			<1%
CAS number: 108-88-3	EC number: 203-625-9	REACH registration number: 01- 2119471310-51-XXXX	
Classification Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Repr. 2 - H361d STOT SE 3 - H336 STOT RE 2 - H373 Asp. Tox. 1 - H304 Aquatic Chronic 3 - H412			
The Full Text for all R-Phrase	es and Hazard Statements are Displa	ayed in Section 16.	
SECTION 4: First aid measu	res		
4.1. Description of first aid m	easures		
General information	Get medical attention if any disco personnel.	mfort continues. Show this Safety Data Sheet to the n	nedica
nhalation	Move affected parson to fresh sir	and keep warm and at rest in a position comfortable t	for

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.

Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.		
Skin contact	Rinse with water.		
Eye contact	Rinse with water. Get medical attention if any discomfort continues.		
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.		
4.2. Most important symptoms	and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	Spray/mists may cause respiratory tract irritation.		
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.		
Skin contact	Repeated exposure may cause skin dryness or cracking.		
Eye contact	May be slightly irritating to eyes. May cause discomfort.		
4.3. Indication of any immediate	4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically.		
SECTION 5: Firefighting measu	Jres		
5.1. Extinguishing media			
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
	Do not use water jet as an extinguisher, as this will spread the fire.		
media	Do not use water jet as an extinguisher, as this will spread the fire.		
media 5.2. Special hazards arising fro	Do not use water jet as an extinguisher, as this will spread the fire. <u>m the substance or mixture</u> Containers can burst violently or explode when heated, due to excessive pressure build-up. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised		
media 5.2. Special hazards arising fro Specific hazards Hazardous combustion	Do not use water jet as an extinguisher, as this will spread the fire. m the substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Thermal decomposition or combustion products may include the following substances:		
media 5.2. Special hazards arising fro Specific hazards Hazardous combustion products	Do not use water jet as an extinguisher, as this will spread the fire. m the substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Thermal decomposition or combustion products may include the following substances:		

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Evacuate area. Risk of explosion. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Suspected of damaging the unborn child. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Avoid contact with eyes. Avoid inhalation of vapours and spray/mists.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store locked up. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50°C/122°F.
Storage class	Miscellaneous hazardous material storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Contro	Is/personal protection

8.1. Control parameters

Occupational exposure limits

BUTANE

Long-term exposure limit (8-hour TWA): OES 600 ppm 1450 mg/m³ Short-term exposure limit (15-minute): OES 750 ppm 1810 mg/m³

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Keep container tightly sealed when not in use. Avoid release to the environment.
SECTION 9: Physical and Chemical Properties	

9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Odour	Organic solvents.
Flash point	<40°C
Upper/lower flammability or explosive limits	: 1.8
Auto-ignition temperature	> 400°C
Comments	Information given is applicable to the major ingredient.
9.2. Other information	
Other information	Not available.
SECTION 10: Stability and reactivity	

10.1. Reactivity

Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous r	reactions
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Pressurised container: may burst if heated
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	n products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological inf	ormation
11.1. Information on toxicologic	cal effects
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
$\frac{\text{Acute toxicity - inhalation}}{\text{Notes (inhalation LC}_{50})}$	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Suspected of damaging the unborn child.

STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
•	
Specific target organ toxicity	- repeated exposure
STOT - repeated exposure	STOT RE 1 - H372 Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	
Aspiration hazard	Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Pneumonia may be the result if vomited material containing solvents reaches the lungs.
General information	Avoid contact during pregnancy/while nursing. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Spray/mists may cause respiratory tract irritation.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	May be slightly irritating to eyes. May cause discomfort.
Acute and chronic health hazards	Prolonged and repeated contact with solvents over a long period may lead to permanent health problems. Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Nausea, vomiting. Headache. Gas or vapour in high concentrations may irritate the respiratory system.
Route of entry	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Medical symptoms	Symptoms following overexposure may include the following: Headache. Dizziness. Arrhythmia, (deviation from normal heart beat).
SECTION 12: Ecological Information	

Specific target organ toxicity - single exposure

SECTION 12: Ecological Information

Ecotoxicity	The product contains substances which are toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.	
12.1. Toxicity		
Toxicity	Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.	
Acute toxicity - fish	Not determined.	
Acute toxicity - aquatic invertebrates	Not determined.	
Acute toxicity - aquatic plants	Not determined.	
Acute toxicity - microorganisms	Not determined.	
12.2. Persistence and degradability		
Persistence and degradability	The degradability of the product is not known.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	No data available on bioaccumulation.	
12.4. Mobility in soil		

14.4. Packing group

WINSOR & NEWTON ALL PURPOSE HIGH GLOSS VARNISH (AEROSOL)(AUSTRALIA)

Mobility	The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.	
12.5. Results of PBT and vPvB assessment		
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u>s</u>	
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Waste class	14 06 03* - waste aerosol propellants, other solvents and solvent mixtures	
SECTION 14: Transport inform	nation	
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.	
14.1. UN number		
UN No. (ADR/RID)	1950	
UN No. (IMDG)	1950	
UN No. (ICAO)	1950	
14.2. UN proper shipping nam	<u>e</u>	
Proper shipping name (ADR/RID)	AEROSOLS, FLAMMABLE	
Proper shipping name (IMDG)	AEROSOLS, FLAMMABLE	
Proper shipping name (ICAO)	AEROSOLS, FLAMMABLE	
Proper shipping name (ADN)	AEROSOLS, FLAMMABLE	
14.3. Transport hazard class(es)		
ADR/RID class	2.1	
ADR/RID label	2.1	
IMDG class	2.1	
ICAO class/division	2.1	
Transport labels		

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended).
	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009
	No. 716).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
	EH40/2005 Workplace exposure limits.
	The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 453/2010 of 20 May 2010.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Dangerous Preparations Directive 1999/45/EC.
	Dangerous Substances Directive 67/548/EEC.
	Council Directive of 20 May 1975 on the approximation of the laws of the Member States
	relating to aerosol dispensers (75/324/EEC) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information	EMERGENCY CONTACTS Jasco Pty Ltd Jasco Pty Ltd - Emergency number Police and Fire Brigade Poisons information centre	02 9807 1555 13 11 26 000 13 11 26
	Pleased read instructions / label before using product. This SDS is prepared in accordance with the Safe Work Australia document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]	
Classification procedures according to Regulation (EC) 1272/2008	Asp. Tox. 1 - H304: STOT RE 1 - H372: : Calculation method. Aquatic Chronic 3 - H412: : Calculation method. Aerosol 1 - H222, H229: : Expert judgement.	
Training advice	Read and follow manufacturer's rec	ommendations.

Revision date	08/12/2015
Revision	4
Supersedes date	27/08/2015
SDS number	23316
Risk phrases in full	 R10 Flammable. R11 Highly flammable R12 Extremely flammable. R36 Irritating to eyes. R36/37/38 Irritating to eyes, respiratory system and skin. R37 Irritating to respiratory system. R43 May cause sensitisation by skin contact. R50 Very toxic to aquatic organisms. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R53 May cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed. R66 Repeated exposure may cause skin dryness or cracking. R67 Vapours may cause drowsiness and dizziness.
Hazard statements in full	 H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H229 Pressurised container: may burst if heated H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child. H372 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.