SAFETY DATA SHEET WINSOR & NEWTON ARTISTS' WHITE SPIRIT (AUSTRALIA)

According to the National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)]

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	WINSOR & NEWTON ARTISTS' WHITE SPIRIT (AUSTRALIA)
REACH registration number	01-2119463258-33-xxxx
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	Thinner for Oil Painting
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of t	he safety data sheet
Supplier	Jasco Pty Ltd.
	1-5 Commercial Road,
	Kingsgrove NSW 2208
	02 9807 1555
Contact person	Regulatory Manager
Manufacturer	ColArt International SA
	5 Rue Rene Panhard
	Z.I.Nord
	72021 Le Mans Cedex 2
	+33 2 43 83 83 00

1.4. Emergency telephone number

Emergency telephone

Australian poisons centre - 13 11 26

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification		
Physical hazards	Flam. Liq. 3 - H226	
Health hazards	STOT SE 3 - H336 Asp. Tox. 1 - H304	
Environmental hazards	Not Classified	

Classification (67/548/EEC or Xn;R65. R10,R66,R67. 1999/45/EC)

2.2. Label elements

Pictogram





Danger

Signal word

Hazard statements

H226 Flammable liquid and vapour.H304 May be fatal if swallowed and enters airways.H336 May cause drowsiness or dizziness.

Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapour/spray. P271 Use only outdoors or in a well-ventilated area. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. P331 Do NOT induce vomiting. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with national regulations.
Contains	Hydrocarbons, C9-C11, < 2% aromatics
Supplementary precautionary statements	P403+P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hydrocarbons, C9-C11, < 2% aroma	tics	60-100%
CAS number: 64742-48-9	EC number: 919-857-5	REACH registration number: 01- 2119463258-33-xxxx
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Flam. Liq. 3 - H226	Xn;R65. R1	10,R66,R67.
Asp. Tox. 1 - H304		
STOT SE 3 - H336		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.
Skin contact	Rinse with water.
Eye contact	Rinse with water. Get medical attention if any discomfort continues.

Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.		
4.2. Most important symptoms	4.2. Most important symptoms and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.		
Ingestion	Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.		
Skin contact	No specific symptoms known.		
Eye contact	No specific symptoms known. May be slightly irritating to eyes.		
4.3. Indication of any immedia	te medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically.		
SECTION 5: Firefighting meas	sures		
5.1. Extinguishing media			
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
5.2. Special hazards arising from	om the substance or mixture		
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.		
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.		
5.3. Advice for firefighters			
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.		
SECTION 6: Accidental releas	e measures		

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate.
6.2. Environmental precautions	5
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.
6.4. Reference to other section	18
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Store locked up. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.
Storage class	Flammable liquid storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Control	s/personal protection
8.1. Control parameters	
8.2. Exposure controls	
Protective equipment	

Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	No specific hand protection recommended.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Keep container tightly sealed when not in use. Avoid release to the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

<u></u>	terr and enterness bioberrase
Appearance	Liquid
Colour	Colourless.
Odour	Hydrocarbons.
рН	Not applicable.
Melting point	Not available.
Initial boiling point and range	150-215°C @
Flash point	40-45°C CC (Closed cup).
Evaporation rate	65 (diethyl ether = 1)
Upper/lower flammability or explosive limits	: 0.6
Vapour pressure	0.3 kPa @ °C
Vapour density	Not available.
Relative density	Not available.
Bulk density	770-800 kg/m³
Solubility(ies)	Soluble in the following materials: Organic solvents. Insoluble in water
Partition coefficient	log Pow: 5-7
Auto-ignition temperature	>230°C
9.2. Other information	
Volatile organic compound	This product contains a maximum VOC content of 100 % .
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	

Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.
10.5. Incompatible materials	
Materials to avoid	Oxidising materials. Acids - oxidising.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	5,000.0
Species	Rat
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Acute toxicity dermal (LD∞ mg/kg)	5,000.0
Species	Rabbit
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.

IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	STOT SE 3 - H336 May cause drowsiness or dizziness.
Target organs	Central nervous system
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Pneumonia may be the result if vomited material containing solvents reaches the lungs.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.
Ingestion	Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
Skin contact	No specific symptoms known.
Eye contact	No specific symptoms known.
Route of entry	Ingestion Inhalation Skin and/or eye contact
Target organs	Central nervous system
SECTION 12: Ecological Infor	mation
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
12.1. Toxicity	
Toxicity	Based on available data the classification criteria are not met.
Toxicity Acute toxicity - fish	Based on available data the classification criteria are not met. LC ₅₀ , 96 hours: >1000 mg/l, Fish
-	
Acute toxicity - fish Acute toxicity - aquatic	LC₅₀, 96 hours: >1000 mg/l, Fish
Acute toxicity - fish Acute toxicity - aquatic invertebrates	LC₅₀, 96 hours: >1000 mg/l, Fish EC₅₀, 48 hours: >1000 mg/l, Daphnia magna
Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic plants	LC₅₀, 96 hours: >1000 mg/l, Fish EC₅₀, 48 hours: >1000 mg/l, Daphnia magna IC₅₀, 72 hours: >1000 mg/l, Algae Not available.
Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic plants Acute toxicity - terrestrial 12.2. Persistence and degrada	LC₅₀, 96 hours: >1000 mg/l, Fish EC₅₀, 48 hours: >1000 mg/l, Daphnia magna IC₅₀, 72 hours: >1000 mg/l, Algae Not available.
Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic plants Acute toxicity - terrestrial 12.2. Persistence and degrada	LC ₅₀ , 96 hours: >1000 mg/l, Fish EC ₅₀ , 48 hours: >1000 mg/l, Daphnia magna IC ₅₀ , 72 hours: >1000 mg/l, Algae Not available. ability The degradability of the product is not known.

Partition coefficient	log Pow: 5-7
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vPvI	B assessment
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	lerations
13.1. Waste treatment method	ls
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Waste class	08 01 11* - waste paint and varnish containing organic solvents or other dangerous substances
SECTION 14: Transport inform	nation
14.1. UN number	
UN No. (ADR/RID)	3295
UN No. (IMDG)	3295
UN No. (ICAO)	3295
UN No. (ADN)	3295
14.2. UN proper shipping nam	e
Proper shipping name (ADR/RID)	– HYDROCARBONS, LIQUID, N.O.S.
Proper shipping name (IMDG)	HYDROCARBONS, LIQUID, N.O.S.
Proper shipping name (ICAO)	HYDROCARBONS, LIQUID, N.O.S.
Proper shipping name (ADN)	HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(e	es)
ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3

ADN class	3	
Transport labels		
14.4. Packing group		
ADR/RID packing group	III	
IMDG packing group	III	
ICAO packing group	III	
ADN packing group	III	
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
EmS	F-E, S-D	
ADR transport category	3	
Emergency Action Code	3Y	
Hazard Identification Number (ADR/RID)	30	
Tunnel restriction code	(D/E)	
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
SECTION 45: Degulatory information		

SECTION 15: Regulatory information

National regulations	Health and Safety at Work etc. Act 1974 (as amended).
-	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information	EMERGENCY CONTACTS Jasco Pty Ltd 02 9807 1555 Jasco Pty Ltd - Emergency number 13 11 26 Police and Fire Brigade 000 Poisons information centre 13 11 26 Pleased read instructions / label before using product. This SDS is prepared in accordance with the Safe Work Australia document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]
Classification procedures according to Regulation (EC) 1272/2008	Asp. Tox. 1 - H304: STOT SE 3 - H336: : Calculation method. Flam. Liq. 3 - H226: : Expert judgement.
Training advice	Read and follow manufacturer's recommendations.
Revision date	17/11/2015
Revision	7
Supersedes date	17/08/2015
SDS number	23284
Risk phrases in full	R10 Flammable. R65 Harmful: may cause lung damage if swallowed. R66 Repeated exposure may cause skin dryness or cracking. R67 Vapours may cause drowsiness and dizziness.
Hazard statements in full	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.