

TrueColor Paper 100

■ matt 3331 - 100 g/m²

Matt coated paper for colour CAD pots and high resolution grapahics presentations.

Applications

- Final CAD Renderings

Advantages

- Excellent sharp definition
- Instant drying
- High Colour density

TrueColor Paper 100

■ matt 3331 - 100 g/m²

List of Printers

Printer	Ink	Quality
Hewlett Packard DJ 5000 (PS) / 5500 (PS)	Dye	Good
Hewlett Packard DJ 2000/2500/2800 3000/3500/3800 CP	Dye	Good
Hewlett Packard DJ 4000 (PS), 1050C/1055CM	Dye (black pig)	Excellent
Hewlett Packard DJ 800/800PS/ 500/500PS	Dye (black pig)	Excellent
Hewlett Packard DJ 450/455CA	Dye (black pig)	Excellent
Hewlett Packard DJ 130	Dye	Excellent
Epson Stylus Pro 7000 / 9000	Dye	Good
Epson Stylus Pro 7500 / 9500 ColorFast ink	Pigmented	Good
Epson Stylus Pro 7600 / 9600 UltraChrome™	Pigmented	Good
Epson Stylus Pro 4000-C8 UltraCrome ink	Pigmented	Good
Epson Stylus Pro 4800 UltraChrome K3	Pigmented	Good
Epson Stylus Pro 7800 / 9800 / 7880/ 7900 / 9880 / 9900 /11880 UltraChrome K3 (VM)	Pigmented	Good

Last update: 11.02.2008

TrueColor Paper 100

■ matt 3331 - 100 g/m²

Physical Properties

Total Weight	100 g/m ²	ISO 536
Thickness	135 µm	ISO 534
Whiteness	145	CIE
Colour	L* 94 a* 3,5 b* -14	CIE

Conditions of Use and Stocking

For quality reasons the paper should be stored and converted under conditions of 30-65% relative humidity and at a temperature of 10-30°C.

The data provided in this product data sheet are values for orientation only.

Before using our print media please check their suitability for your printer and for your intended application. We do not take any liability for failures or damages resulting from technically modified printing inks and/or printers as technical specifications are subject to change.

16.02.2006